Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Gretchen Gertie Lee's Profile

Pet information

Registered name
Gretchen Gertie Lee

Sex
F

Owner reported breed
Dachshund

Date of birth
2024-12-19

Genetic Diversity

Gretchen Gertie Lee's Percentage of Heterozygosity
30%

Health summary

At Risk 1 condition
- Chondrodystrophy (CDDY) and Intervertebral Disc Disease (IVDD) Risk

Carrier 2 conditions
- Early Adult Onset Deafness For Border Collies only (Linkage test)
- Progressive Retinal Atrophy (Discovered in the Miniature Long Haired Dachshund)

Clear 270 conditions

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Genetic Diversity

Heterozygosity

Gretchen Gertie Lee's Percentage of Heterozygosity

30%

Gretchen Gertie Lee's genome analysis shows an average level of genetic heterozygosity when compared with other Dachshund - Miniature Shorthaireds.

Typical Range for Dachshund - Miniature Shorthaireds

30% - 40%

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Health conditions known in the breed

Chondrodystrophy (CDDY) and Intervertebral Disc Disease (IVDD) Risk	Gene	Risk Variant	Copies	Inheritance	Result
	FGF4 retrogene	Insertion	2	AD	**At Risk**

Information about the genetic condition

Chondrodystrophy (CDDY) is a form of skeletal dysplasia which affects the development of cartilage and bone growth in a number of dog breeds. The associated CDDY genetic variant is an FGF4-retrogene insertion on dog chromosome 12, discovered by researchers in the Bannasch Laboratory at the University of California, Davis (Brown et al. 2017), and should not be confused with the FGF4-retrogene insertion on dog chromosome 18 (Parker et al. 2017), associated with a short-legged phenotype known as chondrodysplasia (CDPA). In dogs with CDDY, disproportionate growth (short limbs, normal sized body and head) can be observed as early as one week of age. CDDY follows a semi-dominant mode of inheritance. This means dogs with one copy of the genetic variant typically have some shortening of their legs, whereas dogs with two copies will show a more obvious shortening. Although not necessarily directly associated with CDDY, valgus limb deformities may be observed during physical examination of some dogs. However, affected dogs are more likely to experience premature degeneration and calcification of the intervertebral discs, a process also known as intervertebral disc disease (IVDD). Dogs with IVDD secondary to this genetic variant have an increased risk of intervertebral disc herniation (IVDH), consistent with Hansen Type I. The risk of developing IVDH follows a dominant mode of inheritance, meaning only one copy of this variant is needed to consider a dog predisposed for disc herniation. Age of onset of disc herniation appears to vary considerably between breeds, with the median age of dogs presenting for surgery varying from 3 years to 10 years. However, please note this variant is a risk factor and some dogs with one, or even two copies, of this variant may not go on to show signs of disc disease. It is worth clarifying that if disc herniation does not occur dorsally, a dog may appear asymptomatic as the spinal cord is less likely to be compressed. Additionally, not all dogs affected by IVDD have the FGF4-retrogene insertion found on chromosome 12, indicating additional genetic causes remain to be discovered.

Breeder recommendation

This variant is considered a risk factor for Chondrodystrophy (CDDY) and Intervertebral Disc Disease (IVDD), and dogs with one or two copies of the variant are at increased risk. However not all dogs with one or two copies of this variant will show signs of disc disease. Use of dogs with one or two copies of the CDDY and IVDD variant should be critically considered, as there is a risk that the resulting litter will contain affected puppies. For example, if a dog with one copy of the CDDY and IVDD variant is bred with a clear dog with no copies of the CDDY and IVDD variant, about half of the puppies will have one copy and half will have no copies of the CDDY and IVDD variant. Some breeds carry the variant at such a high rate that breeding dogs with one copy of the disorder is unavoidable. In such cases, mate selection should be planned to slowly reduce the frequency of the variant within the breed over time if possible. In breeds where both FGF4 retrogenes are present and a short stature is desirable, breeders can select for dogs positive for the CDPA (chromosome 18) variant, and against dogs with the CDDY (chromosome 12) variant to maintain breed-specific leg length. Please note: It is possible that clinical signs similar to the ones associated with the CDDY and IVDD variant could develop due to a different genetic or clinical cause.

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Health conditions known in the breed

Progressive Retinal Atrophy (Discovered in the Miniature Long Haired Dachshund)	Gene	Risk Variant	Copies	Inheritance	Result
	RPGRIP1	Insertion	1	AR	**Carrier**

Information about the genetic condition

Progressive Retinal Atrophy (PRA) comprises a group of inherited retinal dystrophies affecting dogs of various breeds. PRA is characterized by retinal degeneration and progressive loss of vision culminating in blindness. Unlike most PRAs, where rod photoreceptor cells degenerate first, in cone-rod dystrophy 1 (cord1-PRA) the cone cells usually begin to deteriorate first, followed by the rod cells. This means the photoreceptors which sense bright light and colors degenerate prior to the photoreceptors that sense dim light associated with night vision. The onset of clinical signs can range widely, from as early as 6 months old to as late as 10 years in age. It is proposed that genetic modifier variants can influence the timing in which an affected dog develops the onset of clinical signs. In one study, early ophthalmologic signs, such as changes to the granular appearance of the fundus, generalized tapetal hyperreflectivity, and retinal vascular attenuation, were detectable by 6 months of age in some affected dogs. In the reported cases, an electroretinogram (ERG) was greatly reduced in amplitude or largely extinguished by 10 months of age. However, there are other cases that do not show signs until late in life, if at all. Therefore, it is important to note that due to the wide age range for clinical onset and the fact that not all dogs with two copies of the risk variant will develop cord1-PRA, there is indication of modifier gene(s) involved in the expression of this variant which are not included in this panel test. Further research is needed to understand the penetrance of this variant, including its clinical relevance in dogs without Dachshund ancestry.

Breeder recommendation

This disorder is autosomal recessive, meaning two copies of the variant are needed for a dog to be at an elevated risk for being diagnosed with the condition. A carrier dog with one copy of the Progressive Retinal Atrophy (Discovered in the Miniature Long Haired Dachshund) variant can be safely bred with a clear dog with no copies of the Progressive Retinal Atrophy (Discovered in the Miniature Long Haired Dachshund) variant. About half of the puppies will have one copy (carriers) and half will have no copies of the variant. Furthermore, a dog with two copies of this Progressive Retinal Atrophy variant can be safely bred with a clear dog. The resulting puppies will all be carriers. Puppies in a litter which is expected to contain carriers should be tested prior to breeding. Carrier to carrier matings are not advised as the resulting litter may contain affected puppies. Please note: It is possible that disorder signs similar to the ones associated with this Progressive Retinal Atrophy variant could develop due to a different genetic or clinical cause.

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Health conditions known in the breed

Coat Color Dilution and Neurological Defects (Discovered in the Miniature Dachshund)

Gene	Risk Variant	Copies	Inheritance	Result
MYO5A	Insertion	0	AR	**Clear**

Information about the genetic condition

Coat Color Dilution and Neurological Defects is a syndrome associated with a variation in the MYO5A gene leading to neurologic and dermatologic changes. Affected puppies may have lighter coat colors and display neurologic abnormalities at birth or within the first few weeks of life. Neurologic signs may include the inability to keep their heads upright, trouble holding a stable upright position, inability to stand or walk, and atypical puppy behavior (such as not whimpering when separated from a group and not seeking littermates).

Breeder recommendation

This disorder is autosomal recessive, meaning two copies of the variant are needed for a dog to be at an elevated risk for being diagnosed with the condition. A carrier dog with one copy of the Coat Color Dilution and Neurological Defects (Discovered in the Miniature Dachshund) variant can be safely bred with a clear dog with no copies of the Coat Color Dilution and Neurological Defects (Discovered in the Miniature Dachshund) variant. About half of the puppies will have one copy (carriers) and half will have no copies of the variant. Puppies in a litter which is expected to contain carriers should be tested prior to breeding. Carrier to carrier matings are not advised as the resulting litter may contain affected puppies. Please note: It is possible that disorder signs similar to the ones associated with the Coat Color Dilution and Neurological Defects variant could develop due to a different genetic or clinical cause.

Cone-Rod Dystrophy

Gene	Risk Variant	Copies	Inheritance	Result
NPHP4	Deletion	0	AR	**Clear**

Information about the genetic condition

Ocular fundus changes, such as an initial cellophane-like increase in the tapetal area and pigment migration from the non-tapetal region, are observed. The age of onset of crd SWD varies from 10 months to 3 years, although affected puppies can be recognized as early as 5 to 10 weeks of age by the presence of pinpoint sized pupils upon examination with focal light. The disease leads to blindness within 6 years from the time signs are first noted.

Breeder recommendation

This disease is autosomal recessive meaning that two copies of the mutation are needed for disease signs to be shown. A carrier dog with one copy of the CRD mutation can be safely bred with a clear dog with no copies of the CRD mutation. About half of the puppies will have one copy (carriers) and half will have no copies of the CRD mutation. A dog with two copies of the CRD mutation can be safely bred with a clear dog. The resulting puppies will all be carriers. Puppies in a litter which is expected to contain carriers should be tested prior to breeding. Carrier to carrier matings are not advised as the resulting litter may contain affected puppies. Please note: It is possible that disease signs similar to the ones caused by the CRD mutation could develop due to a different genetic or clinical cause.

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Health conditions known in the breed

Mucopolysaccharidosis Type IIIA (Discovered in the Dachshund)	Gene	Risk Variant	Copies	Inheritance	Result
	SGSH	C>A	0	AR	**Clear**

Information about the genetic condition

Mucopolysaccharidosis type IIIA is characterized by progressive ataxia (uncoordinated movements), and first clinical signs are usually observed in the third year of life. The signs of ataxia are initially seen in pelvic limbs progressing later to all four limbs. The clinical signs include dysmetric gait and loss of balance. An affected dog may also sway while standing.

Breeder recommendation

This disease is autosomal recessive meaning that two copies of the mutation are needed for disease signs to occur. A carrier dog with one copy of the MPS IIIA mutation can be safely bred with a clear dog with no copies of the MPS IIIA mutation. About half of the puppies will have one copy (carriers) and half will have no copies of the MPS IIIA mutation. Puppies in a litter which is expected to contain carriers should be tested prior to breeding. Carrier to carrier matings are not advised as the resulting litter may contain affected puppies. Please note: It is possible that disease signs similar to the ones caused by the MPS IIIA mutation could develop due to a different genetic or clinical cause.

Narcolepsy (Discovered in the Dachshund)	Gene	Risk Variant	Copies	Inheritance	Result
	HCRTR2	G>A	0	AR	**Clear**

Information about the genetic condition

The first clinical signs of inherited narcolepsy are usually observed by 6 months of age. A typical sign of narcolepsy is excessive daytime drowsiness or decreased daytime activity compared to dogs of the same breed and age. The clinical signs also include cataplexic episodes characterized by sudden loss of muscle tone. Cataplexic episodes start with the dog's hind limbs bending and neck hanging down followed by a collapse which might result in the dog laying down for several seconds or minutes. An affected dog may try to resist the attack which can be seen as a wobbly gait and hind limb weakness. The dog usually stays conscious and alert especially in the beginning of the episode. However, if the attack lasts longer than a couple of minutes, the dog may fall asleep. In longer episodes, fast eye movement characteristic for REM sleep can be observed. Muscle twitches and slow repetitive muscle movements are also possible. Unlike in epileptic seizures, muscles are relaxed during cataplexic episodes and no drooling, urinating, or defecation is observed. Feeding and playing with the dog can provoke cataplexic episodes.

Breeder recommendation

This disease is autosomal recessive meaning that two copies of the mutation are needed for disease signs to occur. A carrier dog with one copy of the Narcolepsy mutation can be safely bred with a clear dog with no copies of the Narcolepsy mutation. About half of the puppies will have one copy (carriers) and half will have no copies of the Narcolepsy mutation. Puppies in a litter which is expected to contain carriers should be tested prior to breeding. Carrier to carrier matings are not advised as the resulting litter may contain affected puppies. Please note: It is possible that disease signs similar to the ones caused by the Narcolepsy mutation could develop due to a different genetic or clinical cause.

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Health conditions known in the breed

Neuronal Ceroid Lipofuscinosis 1

Gene	Risk Variant	Copies	Inheritance	Result
PPT1	Insertion	0	AR	**Clear**

Information about the genetic condition

The onset of clinical signs is usually by 9 months of age. NCL type 1 is a progressive condition characterized by rapidly progressing vision impairment, ataxia (uncontrolled movements), and behavioral changes, such as anxiety, sound sensitivity, and inability to recognize familiar individuals. Clinical signs of NCL1 also include general weakness and uncontrolled rhythmic head movements.

Breeder recommendation

This disease is autosomal recessive meaning that two copies of the mutation are needed for disease signs to occur. A carrier dog with one copy of the NCL1 mutation can be safely bred with a clear dog with no copies of the NCL1 mutation. About half of the puppies will have one copy (carriers) and half will have no copies of the NCL1 mutation. Puppies in a litter which is expected to contain carriers should be tested prior to breeding. Carrier to carrier matings are not advised as the resulting litter may contain affected puppies. Please note: It is possible that disease signs similar to the ones caused by the NCL1 mutation could develop due to a different genetic or clinical cause.

Osteogenesis Imperfecta (Discovered in the Dachshund)

Gene	Risk Variant	Copies	Inheritance	Result
SERPINH1	T>C	0	AR	**Clear**

Information about the genetic condition

The clinical signs of osteogenesis imperfecta include pain, factures and lameness due to brittle bones, and weak or underdeveloped, slightly pink teeth. Other possible signs are impaired hearing, dwarfism, and blue tinted sclera. Clinical signs are already visible at a young age. Bones of affected dogs fracture easily, for example during the course of normal puppy play.

Breeder recommendation

This disease is autosomal recessive meaning that two copies of the mutation are needed for disease signs to occur. A carrier dog with one copy of the OI mutation can be safely bred with a clear dog with no copies of the OI mutation. About half of the puppies will have one copy (carriers) and half will have no copies of the OI mutation. Puppies in a litter which is expected to contain carriers should be tested prior to breeding. Carrier to carrier matings are not advised as the resulting litter may contain affected puppies. Please note: It is possible that disease signs similar to the ones caused by the OI mutation could develop due to a different genetic or clinical cause.

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Traits

Coat Color

	Gene	Variant	Copies	Result
Fawn Copies of this variant will cause dogs to show fawn if they do not have other variant that will mask this effect, such as a plain red, black or white coat.	ASIP	a^y	1	Fawn possible
Recessive Black	ASIP	a	0	No effect
Tan Points Two copies, or occasionally one copy, of this variant may result in a black and tan coat color pattern.	ASIP	a^t	1	Tan points possible
Dominant Black	CBD103	K^B	0	No effect
Mask	MC1R	E^m	0	No effect
Recessive Red (e1) To show a solid red coat, a dog must inherit two copies of a Recessive Red variant, one from each parent. This can either be two copies of a particular variant, such as this one (e1) or two of any combination of recessive red variants. Recessive red coats will appear white, cream, yellow or red, although there are other variants that can result in a similar appearance. The amount of red pigment in the coat, called the intensity, is governed by other genes.	MC1R	e^1	1	No effect
Recessive Red (e2)	MC1R	e^2	0	No effect
Recessive Red (e3)	MC1R	e^3	0	No effect
Sable (Discovered in the Cocker Spaniel)	MC1R	e^H	0	No effect
Widow's Peak (Discovered in Ancient dogs)	MC1R	e^A	0	No effect
Widow's Peak (Discovered in the Afghan Hound and Saluki)	MC1R	e^G	0	No effect

Color Modification

	Gene	Variant	Copies	Result
Cocoa (Discovered in the French Bulldog)	HPS3	co	0	No effect
Red Intensity	MFSD12	i	0	No effect

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Color Modification

	Gene	Variant	Copies	Result
Dilution (d1) Linkage test	MLPH	d^1	0	No effect
Dilution (d2)	MLPH	d^2	0	No effect
Dilution (d3)	MLPH	d^3	0	No effect
Chocolate (basd)	TYRP1	b^{asd}	0	No effect
Chocolate (bc)	TYRP1	b^c	0	No effect
Chocolate (bd)	TYRP1	b^d	0	No effect
Chocolate (be)	TYRP1	b^e	0	No effect
Chocolate (bh)	TYRP1	b^h	0	No effect
Chocolate (bs)	TYRP1	b^s	0	No effect

Coat Patterns

	Gene	Variant	Copies	Result
Piebald Dog with copies of the Piebald variant are likely to show white spotting, patches and/or a white coat, with two copies having a greater effect than one, although the strength of this effect may be influenced by other genes.	MITF	s^p	1	White markings possible
Merle	PMEL	M	0	No effect
Harlequin	PSMB7	H	0	No effect
Saddle Tan One or two copies of the Saddle Tan variant are needed for the "saddle" to be seen. However the Tan Points variant must also be present. The Saddle Tan variant is actually considered to be the wild type, or default, variant.	RALY	-	1	Saddle possible
Roan Linkage Test To show roan patterning, a dog must inherit one or two copies of the roan variant and also express Piebald or another variant associated with white markings. Roan is only visible on the white areas of a dog's coat.	USH2A	TR^r	2	Roan possible

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Coat Length and Curl

	Gene	Variant	Copies	Result
Long Hair (lh1) To show a long coat, a dog must inherit two copies of a Long Hair variant, one from each parent. This can either be two copies of a particular variant, such as this one (lh1) or two of any combination of long hair variants. However, there are other variants suspected to influence coat length.	FGF5	lh^{1}	2	Long coat
Long Hair (lh2)	FGF5	lh^{2}	0	No effect
Long Hair (lh3)	FGF5	lh^{3}	0	No effect
Long Hair (lh4)	FGF5	lh^{4}	0	No effect
Long Hair (lh5)	FGF5	lh^{5}	0	No effect
Curly Coat	KRT71	C	0	No effect

Hairlessness

	Gene	Variant	Copies	Result
Hairlessness (Discovered in the Chinese Crested Dog) Linkage test	FOXI3	Hr^{cc}	0	No effect
Hairlessness (Discovered in the American Hairless Terrier)	SGK3	hr^{aht}	0	No effect
Hairlessness (Discovered in the Scottish Deerhound)	SKG3	hr^{sd}	0	No effect

Shedding

	Gene	Variant	Copies	Result
Reduced Shedding One or two copies of the Reduced Shedding variant is likely to reduce a dog's tendency to shed. Copies of the Furnishings variant, particularly two, also reduce the tendency of a dog to shed.	MC5R	sd	2	Low shedder

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

More Coat Traits

	Gene	Variant	Copies	Result
Hair Ridge	FGF3, FGF4, FGF19, ORAOV1	R	0	No effect
Furnishings	RSPO2	F	0	No effect
Albino	SLC45A2	c^{al}	0	No effect

Head Shape

	Gene	Variant	Copies	Result
Short Snout (BMP3 variant)	BMP3	-	0	No effect
Short Snout (SMOC2 variant)	SMOC2	-	0	No effect

Eye Color

	Gene	Variant	Copies	Result
Blue Eyes (Discovered in the Siberian Husky)	ALX4	-	0	No effect

Ears

	Gene	Variant	Copies	Result
Floppy Ears	MSRB3	-	0	Pricked ears more likely

Extra Toes

	Gene	Variant	Copies	Result
Hind Dewclaws (Discovered in Asian breeds)	LMBR1	DC-1	0	No effect
Hind Dewclaws (Discovered in Western breeds)	LMBR1	DC-2	0	No effect

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

More Body Features

	Gene	Variant	Copies	Result
Back Muscle and Bulk	ACSL4	-	0	No effect
High Altitude Adaptation	EPAS1	-	0	No effect
Short Legs (Chondrodysplasia, CDPA) Dogs with one copy of the Short Legs (CDPA) variant typically have some shortening of their legs, whereas with two copies there is more obvious shortening.	FGF4	-	2	Shortened legs likely
Short Legs (Chondrodystrophy, CDDY) Dogs with one copy of the Short Legs (CDDY) variant typically have some shortening of their legs, whereas dogs with two copies can have more obvious shortening. Dogs that inherit both variants associated with short legs (CDDY and CDPA) tend to show a more drastic reduction in leg length.	FGF4	-	2	Shortened legs likely
Short Tail	T-box	T	0	Full tail length likely

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Other health conditions tested

Early Adult Onset Deafness For Border Collies only (Linkage test)	Gene	Risk Variant	Copies	Inheritance	Result
	Intergenic	Insertion	1	AR	**Carrier**

Information about the genetic condition

Gradual hearing loss affecting both ears is observed usually between the ages of 5 to 7 years. Please note that this test is specifically for the Border Collie breed and is a predictive linkage test rather than a test for the true causal variant. Not all dogs with two copies of the linked marker will go on to show signs of hearing loss.

Breeder recommendation

This disease is autosomal recessive meaning that two copies of the mutation are needed for disease signs to develop. A carrier dog with one copy of the Deafness mutation can be safely bred with a clear dog with no copies of the Deafness mutation. About half of the puppies will have one copy (carriers) and half will have no copies of the Deafness mutation. Puppies in a litter which is expected to contain carriers should be tested prior to breeding. The carrier rate of the risk variant is up to 35% in the Border Collie population, highlighting the importance of keeping healthy carriers in the breeding program by breeding them to dogs tested “Clear” (zero copies) of the risk variant. Please note: It is possible that disease signs similar to the ones caused by the Deafness mutation could develop due to a different genetic or clinical cause.

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Other health conditions tested

Genetic Condition	Gene	Risk Variant	Copies	Inheritance	Result
2,8-dihydroxyadenine (DHA) Urolithiasis	APRT	G>A	0	AR	Clear
Acral Mutilation Syndrome	GDNF	C>T	0	AR	Clear
Acute Respiratory Distress Syndrome	ANLN	C>T	0	AR	Clear
Alaskan Husky Encephalopathy	SLC19A3	G>A	0	AR	Clear
Alexander Disease	GFAP	G>A	0	AR	Clear
Amelogenesis Imperfecta (Discovered in the Italian Greyhound)	ENAM	Deletion	0	AR	Clear
Amelogenesis Imperfecta (Discovered in the Lancashire Heeler)	Confidential	-	0	AR	Clear
Amelogenesis Imperfecta (Discovered in the Parson Russell Terrier)	ENAM	C>T	0	AR	Clear
Bandera's Neonatal Ataxia	GRM1	Insertion	0	AR	Clear
Benign Familial Juvenile Epilepsy	LGI2	A>T	0	AR	Clear
Bernard-Soulier Syndrome (Discovered in the Cocker Spaniel)	GP9	Deletion	0	AR	Clear
Canine Congenital Stationary Night Blindness (Discovered in the Beagle)	LRIT3	Deletion	0	AR	Clear
Canine Leukocyte Adhesion Deficiency (CLAD), type III	FERMT3	Insertion	0	AR	Clear
Canine Multifocal Retinopathy 1	BEST1	C>T	0	AR	Clear
Canine Multifocal Retinopathy 2	BEST1	G>A	0	AR	Clear
Canine Multifocal Retinopathy 3	BEST1	Deletion	0	AR	Clear
Canine Multiple Systems Degeneration (Discovered in the Chinese Crested Dog)	SERAC1	Deletion	0	AR	Clear
Canine Scott Syndrome	ANO6	G>A	0	AR	Clear
Cardiomyopathy and Juvenile Mortality (Discovered in the Belgian Shepherd)	YARS2	G>A	0	AR	Clear
Centronuclear Myopathy (Discovered in the Great Dane)	BIN1	A>G	0	AR	Clear

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Other health conditions tested

Genetic Condition	Gene	Risk Variant	Copies	Inheritance	Result
Centronuclear Myopathy (Discovered in the Labrador Retriever)	PTPLA	Insertion	0	AR	Clear
Cerebellar Ataxia	RAB24	A>C	0	AR	Clear
Cerebellar Cortical Degeneration	SNX14	C>T	0	AR	Clear
Cerebellar Hypoplasia	VLDLR	Deletion	0	AR	Clear
Cerebral Dysfunction	SLC6A3	G>A	0	AR	Clear
Chondrodysplasia (Discovered in Norwegian Elkhound and Karelian Bear Dog)	ITGA10	C>T	0	AR	Clear
Cleft Lip & Palate with Syndactyly	ADAMTS20	Deletion	0	AR	Clear
Cleft Palate	DLX6	C>A	0	AR	Clear
CNS Atrophy with Cerebellar Ataxia (Discovered in the Belgian Shepherd)	SEPP1	Deletion	0	AR	Clear
Collie Eye Anomaly (CEA)	NHEJ1	Deletion	0	AR	Clear
Complement 3 Deficiency	C3	Deletion	0	AR	Clear
Cone Degeneration (Discovered in the Alaskan Malamute)	CNGB3	Deletion	0	AR	Clear
Cone Degeneration (Discovered in the German Shepherd Dog)	CNGA3	C>T	0	AR	Clear
Cone Degeneration (Discovered in the German Shorthaired Pointer)	CNGB3	G>A	0	AR	Clear
Cone-Rod Dystrophy 1	PDE6B	Deletion	0	AR	Clear
Cone-Rod Dystrophy 2	IQCB1	Insertion	0	AR	Clear
Congenital Cornification (Discovered in the Labrador Retriever)	NSDHL	Deletion	0	XD	Clear
Congenital Dyshormonogenic Hypothyroidism with Goiter (Discovered in the Shih Tzu)	SLC5A5	G>A	0	AR	Clear
Congenital Eye Malformations (Discovered in the Golden Retriever)	SIX6	C>T	0	AD	Clear

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Other health conditions tested

Genetic Condition	Gene	Risk Variant	Copies	Inheritance	Result
Congenital Hypothyroidism (Discovered in the Tenterfield Terrier)	TPO	C>T	0	AR	Clear
Congenital Hypothyroidism (Discovered in the Toy Fox and Rat Terrier)	TPO	C>T	0	AR	Clear
Congenital Muscular Dystrophy (Discovered in the Italian Greyhound)	LAMA2	G>A	0	AR	Clear
Congenital Muscular Dystrophy (Discovered in the Staffordshire Bull Terrier)	LAMA2	Deletion	0	AR	Clear
Congenital Myasthenic Syndrome (Discovered in the Golden Retriever)	COLQ	G>A	0	AR	Clear
Congenital Myasthenic Syndrome (Discovered in the Heideterrier)	CHRNE	Insertion	0	AR	Clear
Congenital Myasthenic Syndrome (Discovered in the Jack Russell Terrier)	CHRNE	Insertion	0	AR	Clear
Congenital Myasthenic Syndrome (Discovered in the Labrador Retriever)	COLQ	T>C	0	AR	Clear
Congenital Myasthenic Syndrome (Discovered in the Old Danish Pointer)	CHAT	G>A	0	AR	Clear
Congenital Stationary Night Blindness (CSNB)	RPE65	A>T	0	AR	Clear
Craniomandibular Osteopathy (Discovered in Scottish Terrier breeds)	SLC37A2	C>T	0	AD	Clear
Craniomandibular Osteopathy (Discovered in the Australian Terrier)	COL1A1	C>T	0	AD	Clear
Craniomandibular Osteopathy (Discovered in the Basset Hound)	SLC37A2	C>T	0	AD	Clear
Craniomandibular Osteopathy (Discovered in the Weimaraner)	SLC35D1	Deletion	0	AD	Clear
Cystic Renal Dysplasia and Hepatic Fibrosis	INPP5E	G>A	0	AR	Clear
Cystinuria Type I-A	SLC3A1	C>T	0	AR	Clear
Cystinuria Type II-A	SLC3A1	Deletion	0	AD	Clear
Darier Disease (Discovered in the Irish Terrier)	ATP2A2	Insertion	0	AD	Clear

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Other health conditions tested

Genetic Condition	Gene	Risk Variant	Copies	Inheritance	Result
Deafness and Vestibular Dysfunction (DINGS1), (Discovered in Doberman Pinscher)	PTPRQ	Insertion	0	AR	Clear
Deafness and Vestibular Dysfunction (DINGS2), (Discovered in Doberman Pinscher)	MYO7A	G>A	0	AR	Clear
Degenerative Myelopathy	SOD1	G>A	0	AR	Clear
Demyelinating Neuropathy	SBF2	G>T	0	AR	Clear
Dental Hypomineralization	FAM20C	C>T	0	AR	Clear
Dental-Skeletal-Retinal Anomaly (Discovered in the Cane Corso)	MIA3	Deletion	0	AR	Clear
Dilated Cardiomyopathy (Discovered in the Schnauzer)	RBM20	Deletion	0	AR	Clear
Disproportionate Dwarfism (Discovered in the Dogo Argentino)	PRKG2	C>A	0	AR	Clear
Dominant Progressive Retinal Atrophy	RHO	C>G	0	AD	Clear
Dystrophic Epidermolysis Bullosa (Discovered in the Basset Hound)	COL7A1	Insertion	0	AR	Clear
Dystrophic Epidermolysis Bullosa (Discovered in the Central Asian Ovcharka)	COL7A1	C>T	0	AR	Clear
Dystrophic Epidermolysis Bullosa (Discovered in the Golden Retriever)	COL7A1	C>T	0	AR	Clear
Early Retinal Degeneration (Discovered in the Norwegian Elkhound)	STK38L	Insertion	0	AR	Clear
Early-Onset Adult Deafness (Discovered in the Rhodesian Ridgeback)	EPS8L2	Deletion	0	AR	Clear
Early-Onset Progressive Polyneuropathy (Discovered in the Alaskan Malamute)	NDRG1	G>T	0	AR	Clear
Early-Onset Progressive Retinal Atrophy (Discovered in the Portuguese Water Dog)	CCDC66	Insertion	0	AR	Clear
Early-Onset Progressive Retinal Atrophy, (Discovered in the Spanish Water Dog)	PDE6B	Deletion	0	AR	Clear
Ehlers-Danlos Syndrome (Discovered in mixed breed)	COL5A1	G>A	0	AD	Clear

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Other health conditions tested

Genetic Condition	Gene	Risk Variant	Copies	Inheritance	Result
Ehlers-Danlos Syndrome (Discovered in the Labrador Retriever)	COL5A1	Deletion	0	AD	Clear
Epidermolytic Hyperkeratosis	KRT10	G>T	0	AR	Clear
Episodic Falling Syndrome	BCAN	Insertion	0	AR	Clear
Exercise-Induced Collapse	DNM1	G>T	0	AR	Clear
Factor VII Deficiency	F7	G>A	0	AR	Clear
Factor XI Deficiency	FXI	Insertion	0	AD	Clear
Familial Nephropathy (Discovered in the English Cocker Spaniel)	COL4A4	A>T	0	AR	Clear
Familial Nephropathy (Discovered in the English Springer Spaniel)	COL4A4	C>T	0	AR	Clear
Fanconi Syndrome	FAN1	Deletion	0	AR	Clear
Fetal Onset Neuroaxonal Dystrophy	MFN2	G>C	0	AR	Clear
Focal Non-Epidermolytic Palmoplantar Keratoderma	KRT16	G>C	0	AR	Clear
Generalized Progressive Retinal Atrophy (Discovered in the Schapendoes)	CCDC66	Insertion	0	AR	Clear
Glanzmann Thrombasthenia Type I (Discovered in Great Pyrenees)	ITGA2B	C>G	0	AR	Clear
Glanzmann Thrombasthenia Type I (Discovered in mixed breed dogs)	ITGA2B	C>T	0	AR	Clear
Globoid Cell Leukodystrophy (Discovered in Terriers)	GALC	A>C	0	AR	Clear
Globoid Cell Leukodystrophy (Discovered in the Irish Setter)	GALC	A>T	0	AR	Clear
Glycogen Storage Disease Type Ia (Discovered in the German Pinscher)	G6PC	Insertion	0	AR	Clear
Glycogen Storage Disease Type Ia (Discovered in the Maltese)	G6PC	G>C	0	AR	Clear
Glycogen Storage Disease Type IIIa, (GSD IIIa)	AGL	Deletion	0	AR	Clear

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Other health conditions tested

Genetic Condition	Gene	Risk Variant	Copies	Inheritance	Result
GM1 Gangliosidosis (Discovered in the Portuguese Water Dog)	GLB1	G>A	0	AR	Clear
GM1 Gangliosidosis (Discovered in the Shiba)	GLB1	Deletion	0	AR	Clear
GM2 Gangliosidosis (Discovered in the Japanese Chin)	HEXA	G>A	0	AR	Clear
GM2 Gangliosidosis (Discovered in the Toy Poodle)	HEXB	Deletion	0	AR	Clear
Hemophilia A (Discovered in Old English Sheepdog)	FVIII	C>T	0	XR	Clear
Hemophilia A (Discovered in the Boxer)	FVIII	C>G	0	XR	Clear
Hemophilia A (Discovered in the German Shepherd Dog - Variant 1)	FVIII	G>A	0	XR	Clear
Hemophilia A (Discovered in the German Shepherd Dog - Variant 2)	FVIII	G>A	0	XR	Clear
Hemophilia A (Discovered in the Havanese)	FVIII	Insertion	0	XR	Clear
Hemophilia A (Discovered in the Labrador Retriever)	Confidential	-	0	XR	Clear
Hemophilia B	FIX	G>A	0	XR	Clear
Hemophilia B (Discovered in the Airedale Terrier)	FIX	Insertion	0	XR	Clear
Hemophilia B (Discovered in the Lhasa Apso)	FIX	Deletion	0	XR	Clear
Hereditary Ataxia (Discovered in the Belgian Malinois)	SLC12A6	Insertion	0	AR	Clear
Hereditary Ataxia (Discovered in the Norwegian Buhund)	KCNIP4	T>C	0	AR	Clear
Hereditary Calcium Oxalate Urolithiasis, Type 1	Confidential	-	0	AR	Clear
Hereditary Elliptocytosis	SPTB	C>T	0	AD	Clear
Hereditary Footpad Hyperkeratosis	FAM83G	G>C	0	AR	Clear
Hereditary Nasal Parakeratosis (Discovered in the Greyhound)	SUV39H2	Deletion	0	AR	Clear
Hereditary Nasal Parakeratosis (Discovered in the Labrador Retriever)	SUV39H2	A>C	0	AR	Clear

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Other health conditions tested

Genetic Condition	Gene	Risk Variant	Copies	Inheritance	Result
Hereditary Vitamin D-Resistant Rickets Type II	VDR	Deletion	0	AR	Clear
Hyperuricosuria	SLC2A9	G>T	0	AR	Clear
Hypocatalasia	CAT	G>A	0	AR	Clear
Hypomyelination	FNIP2	Deletion	0	AR	Clear
Hypophosphatasia	Confidential	-	0	AR	Clear
Ichthyosis (Discovered in the American Bulldog)	NIPAL4	Deletion	0	AR	Clear
Ichthyosis (Discovered in the Great Dane)	SLC27A4	G>A	0	AR	Clear
Ichthyosis Type 2 (Discovered in the Golden Retriever)	ABHD5	Deletion	0	AR	Clear
Inflammatory Myopathy (Discovered in the Dutch Shepherd Dog)	SLC25A12	A>G	0	AR	Clear
Inflammatory Pulmonary Disease (Discovered in the Rough Collie)	AKNA	Deletion	0	AR	Clear
Intestinal Cobalamin Malabsorption (Discovered in the Beagle)	CUBN	Deletion	0	AR	Clear
Intestinal Cobalamin Malabsorption (Discovered in the Border Collie)	CUBN	Deletion	0	AR	Clear
Intestinal Cobalamin Malabsorption (Discovered in the Komondor)	CUBN	G>A	0	AR	Clear
Intestinal Lipid Malabsorption (Discovered in the Australian Kelpie)	ACSL5	Deletion	0	AR	Clear
Junctional Epidermolysis Bullosa (Discovered in the Australian Cattle Dog Mix)	LAMA3	T>A	0	AR	Clear
Junctional Epidermolysis Bullosa (Discovered in the Australian Shepherd)	LAMB3	A>G	0	AR	Clear
Juvenile Cataract (Discovered in the Wirehaired Pointing Griffon)	FYCO1	Deletion	0	AR	Clear
Juvenile Dilated Cardiomyopathy (Discovered in the Toy Manchester Terrier)	ABCC9	G>A	0	AR	Clear

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Other health conditions tested

Genetic Condition	Gene	Risk Variant	Copies	Inheritance	Result
Juvenile Encephalopathy (Discovered in the Parson Russell Terrier)	Confidential	-	0	AR	Clear
Juvenile Laryngeal Paralysis and Polyneuropathy	RAB3GAP1	Deletion	0	AR	Clear
Juvenile Myoclonic Epilepsy	DIRAS1	Deletion	0	AR	Clear
L-2-Hydroxyglutaric aciduria (Discovered in the Staffordshire Bull Terrier)	L2HGDH	T>C	0	AR	Clear
L-2-Hydroxyglutaric Aciduria (Discovered in the West Highland White Terrier)	Confidential	-	0	AR	Clear
Lafora Disease (Linkage test)	NHLRC1	Insertion	0	AR	Clear
Lagotto Storage Disease	ATG4D	G>A	0	AR	Clear
Lamellar Ichthyosis	TGM1	Insertion	0	AR	Clear
Laryngeal Paralysis (Discovered in the Bull Terrier and Miniature Bull Terrier)	RAPGEF6	Insertion	0	AR	Clear
Leigh-like Subacute Necrotizing Encephalopathy (Discovered in the Yorkshire Terrier)	SLC19A3	Insertion	0	AR	Clear
Lethal Acrodermatitis (Discovered in the Bull Terrier)	MKLN1	A>C	0	AR	Clear
Leukodystrophy (Discovered in the Standard Schnauzer)	TSEN54	C>T	0	AR	Clear
Ligneous Membranitis	PLG	T>A	0	AR	Clear
Limb-girdle Muscular Dystrophy (Discovered in the Boston Terrier) Variant 1	SGCD	Deletion	0	AR	Clear
Limb-girdle Muscular Dystrophy (Discovered in the Boston Terrier) Variant 2	SGCD	CAT>GG	0	AR	Clear
Limb-girdle Muscular Dystrophy, Type L3 (Discovered in the Miniature Dachshund)	SGCA	G>A	0	AR	Clear
Lung Developmental Disease (Discovered in the Airedale Terrier)	LAMP3	C>T	0	AR	Clear
Macrothrombocytopenia (Discovered in Norfolk and Cairn Terrier)	TUBB1	G>A	0	AR	Clear
May-Hegglin Anomaly	MYH9	G>A	0	AD	Clear

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Other health conditions tested

Genetic Condition	Gene	Risk Variant	Copies	Inheritance	Result
MDR1 Medication Sensitivity	MDR1/ABCB1	Deletion	0	AD	Clear
Microphthalmia (Discovered in the Soft-Coated Wheaten Terrier)	RBP4	Deletion	0	AR	Clear
Mucopolysaccharidosis Type IIIA (Discovered in the New Zealand Huntaway)	SGSH	Insertion	0	AR	Clear
Mucopolysaccharidosis Type IIIB (Discovered in the Schipperke)	NAGLU	Insertion	0	AR	Clear
Mucopolysaccharidosis Type VII (Discovered in the Brazilian Terrier)	GUSB	C>T	0	AR	Clear
Mucopolysaccharidosis Type VII (Discovered in the German Shepherd Dog)	GUSB	G>A	0	AR	Clear
Mucopolysaccharidosis VI (Discovered in the Miniature Pinscher)	ARSB	G>A	0	AR	Clear
Muscular Dystrophy (Discovered in the Cavalier King Charles Spaniel)	Dystrophin	G>T	0	XR	Clear
Muscular Dystrophy (Discovered in the Golden Retriever)	Dystrophin	A>G	0	XR	Clear
Muscular Dystrophy (Discovered in the Labrador Retriever) Variant 1	COL6A3	G>A	0	AR	Clear
Muscular Dystrophy (Discovered in the Landseer)	COL6A1	G>T	0	AR	Clear
Muscular Dystrophy (Discovered in the Norfolk Terrier)	Dystrophin	Deletion	0	XR	Clear
Muscular Dystrophy-Dystroglycanopathy (Discovered in the Labrador Retriever)	LARGE	C>T	0	AR	Clear
Muscular Hypertrophy (Double Muscling)	MSTN	T>A	0	AR	Clear
Musladin-Lueke Syndrome	ADAMTSL2	C>T	0	AR	Clear
Myeloperoxidase Deficiency	MOP	C>T	0	AR	Clear
Myotonia Congenita (Discovered in Australian Cattle Dog)	CLCN1	Insertion	0	AR	Clear
Myotonia Congenita (Discovered in the Labrador Retriever)	CLCN1	T>A	0	AR	Clear

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Other health conditions tested

Genetic Condition	Gene	Risk Variant	Copies	Inheritance	Result
Myotonia Congenita (Discovered in the Miniature Schnauzer)	CLCN1	C>T	0	AR	Clear
Myotubular Myopathy	MTM1	A>C	0	XR	Clear
Narcolepsy (Discovered in the Labrador Retriever)	HCRTR2	G>A	0	AR	Clear
Nemaline Myopathy	NEB	C>A	0	AR	Clear
Neonatal Cerebellar Cortical Degeneration	SPTBN2	Deletion	0	AR	Clear
Neonatal Encephalopathy with Seizures	ATF2	T>G	0	AR	Clear
Neuroaxonal Dystrophy (Discovered in Spanish Water Dog)	TECPR2	C>T	0	AR	Clear
Neuroaxonal Dystrophy (Discovered in the Papillon)	PLA2G6	G>A	0	AR	Clear
Neuroaxonal Dystrophy (Discovered in the Rottweiler)	VPS11	A>G	0	AR	Clear
Neuronal Ceroid Lipofuscinosis 12 (Discovered in the Australian Cattle Dog)	ATP13A2	C>T	0	AR	Clear
Neuronal Ceroid Lipofuscinosis 5 (Discovered in the Border Collie)	CLN5	C>T	0	AR	Clear
Neuronal Ceroid Lipofuscinosis 5 (Discovered in the Golden Retriever)	CLN5	Deletion	0	AR	Clear
Neuronal Ceroid Lipofuscinosis 7	MFSD8	Deletion	0	AR	Clear
Neuronal Ceroid Lipofuscinosis 8 (Discovered in the Alpine Dachsbracke)	CLN8	Deletion	0	AR	Clear
Neuronal Ceroid Lipofuscinosis 8 (Discovered in the Australian Shepherd)	CLN8	G>A	0	AR	Clear
Neuronal Ceroid Lipofuscinosis 8 (Discovered in the English Setter)	CLN8	T>C	0	AR	Clear
Neuronal Ceroid Lipofuscinosis 8 (Discovered in the Saluki)	CLN8	Insertion	0	AR	Clear
Obesity risk (POMC)	POMC	Deletion	0	AD	Clear
Osteochondrodysplasia	SLC13A1	Deletion	0	AR	Clear

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Other health conditions tested

Genetic Condition	Gene	Risk Variant	Copies	Inheritance	Result
Osteochondromatosis (Discovered in the American Staffordshire Terrier)	EXT2	C>A	0	AR	Clear
Osteogenesis Imperfecta (Discovered in the Beagle)	COL1A2	C>T	0	AD	Clear
P2RY12-associated Bleeding Disorder	P2RY12	Deletion	0	AR	Clear
Palmoplantar Hyperkeratosis (Discovered in the Rottweiler)	DSG1	Deletion	0	AR	Clear
Paroxysmal Dyskinesia	PIGN	C>T	0	AR	Clear
Persistent Müllerian Duct Syndrome	AMHR2	C>T	0	AR	Clear
Phosphofructokinase Deficiency	PFKM	G>A	0	AR	Clear
Pituitary Dwarfism (Discovered in the Karelian Bear Dog)	POU1F1	C>A	0	AR	Clear
Polycystic Kidney Disease	PKD1	G>A	0	AD	Clear
Prekallikrein Deficiency	KLKB1	T>A	0	AR	Clear
Primary Ciliary Dyskinesia	CCDC39	C>T	0	AR	Clear
Primary Ciliary Dyskinesia (Discovered in the Alaskan Malamute)	NME5	Deletion	0	AR	Clear
Primary Lens Luxation	ADAMTS17	G>A	0	AR	Clear
Primary Open Angle Glaucoma (Discovered in Basset Fauve de Bretagne)	ADAMTS17	G>A	0	AR	Clear
Primary Open Angle Glaucoma (Discovered in Petit Basset Griffon Vendeen)	ADAMTS17	Insertion	0	AR	Clear
Primary Open Angle Glaucoma and Lens Luxation (Discovered in Chinese Shar-Pei)	ADAMTS17	Deletion	0	AR	Clear
Progressive Early-Onset Cerebellar Ataxia	SEL1L	T>C	0	AR	Clear
Progressive Retinal Atrophy (Discovered in the Basenji)	SAG	T>C	0	AR	Clear
Progressive Retinal Atrophy (Discovered in the Golden Retriever - GR-PRA 2 variant)	TTC8	Deletion	0	AR	Clear

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Other health conditions tested

Genetic Condition	Gene	Risk Variant	Copies	Inheritance	Result
Progressive Retinal Atrophy (Discovered in the Golden Retriever - GR-PRA1 variant)	SLC4A3	Insertion	0	AR	Clear
Progressive Retinal Atrophy (Discovered in the Lapponian Herder)	IFT122	C>T	0	AR	Clear
Progressive Retinal Atrophy (Discovered in the Lhasa Apso)	IMPG2	Insertion	0	AR	Clear
Progressive Retinal Atrophy (Discovered in the Papillon and Phalène)	CNGB1	Deletion	0	AR	Clear
Progressive Retinal Atrophy (Discovered in the Shetland Sheepdog - BBS2 variant)	Confidential	-	0	AR	Clear
Progressive Retinal Atrophy (Discovered in the Shetland Sheepdog - CNGA1 variant)	CNGA1	Deletion	0	AR	Clear
Progressive Retinal Atrophy (Discovered in the Swedish Vallhund)	MERTK	Insertion	0	AR	Clear
Progressive Retinal Atrophy 1 (Discovered in the Italian Greyhound)	Confidential	-	0	AR	Clear
Progressive Rod Cone Degeneration (prcd-PRA)	PRCD	G>A	0	AR	Clear
Protein Losing Nephropathy	NPHS1	G>A	0	AR	Clear
Pyruvate Dehydrogenase Phosphatase 1 Deficiency	PDP1	C>T	0	AR	Clear
Pyruvate Kinase Deficiency (Discovered in the Basenji)	PKLR	Deletion	0	AR	Clear
Pyruvate Kinase Deficiency (Discovered in the Beagle)	PKLR	G>A	0	AR	Clear
Pyruvate Kinase Deficiency (Discovered in the Pug)	PKLR	T>C	0	AR	Clear
Pyruvate Kinase Deficiency (Discovered in the West Highland White Terrier)	PKLR	Insertion	0	AR	Clear
QT Syndrome	KCNQ1	C>A	0	AD	Clear
Renal Cystadenocarcinoma and Nodular Dermatofibrosis	FLCN	A>G	0	AD	Clear
Rod-Cone Dysplasia 1	PDE6B	G>A	0	AR	Clear
Rod-Cone Dysplasia 1a	PDE6B	Insertion	0	AR	Clear

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Other health conditions tested

Genetic Condition	Gene	Risk Variant	Copies	Inheritance	Result
Rod-Cone Dysplasia 3	PDE6A	Deletion	0	AR	Clear
Sensorineural Deafness (Discovered in the Rottweiler)	LOXHD1	G>C	0	AR	Clear
Sensory Neuropathy	FAM134B	Insertion	0	AR	Clear
Severe Combined Immunodeficiency (Discovered in Frisian Water Dogs)	RAG1	G>T	0	AR	Clear
Severe Combined Immunodeficiency (Discovered in Russell Terriers)	PRKDC	G>T	0	AR	Clear
Shaking Puppy Syndrome (Discovered in the Border Terrier)	Confidential	-	0	AR	Clear
Skeletal Dysplasia 2	COL11A2	G>C	0	AR	Clear
Spinocerebellar Ataxia (Discovered in the Alpine Dachsbracke)	SCN8A	G>T	0	AR	Clear
Spinocerebellar Ataxia (Late-Onset Ataxia)	CAPN1	G>A	0	AR	Clear
Spinocerebellar Ataxia with Myokymia and/or Seizures	KCNJ10	C>G	0	AR	Clear
Spondylocostal Dysostosis	HES7	Deletion	0	AR	Clear
Spongy Degeneration with Cerebellar Ataxia (Discovered in Belgian Malinois - SDCA1)	KCNJ10	T>C	0	AR	Clear
Spongy Degeneration with Cerebellar Ataxia (Discovered in Belgian Malinois - SDCA2)	ATP1B2	Insertion	0	AR	Clear
Stargardt Disease (Discovered in the Labrador Retriever)	ABCA4	Insertion	0	AR	Clear
Startle Disease (Discovered in Irish Wolfhounds)	SLC6A5	G>T	0	AR	Clear
Startle Disease (Discovered in the Miniature American Shepherd)	Confidential	-	0	AR	Clear
Succinic Semialdehyde Dehydrogenase Deficiency (Discovered in the Saluki)	ALDH5A1	G>A	0	AR	Clear
Thrombopathia (Discovered in the Basset Hound)	RASGRP1	Deletion	0	AR	Clear
Thrombopathia (Discovered in the Eskimo Spitz)	RASGRP1	Insertion	0	AR	Clear

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Other health conditions tested

Genetic Condition	Gene	Risk Variant	Copies	Inheritance	Result
Trapped Neutrophil Syndrome	VPS13B	Deletion	0	AR	Clear
Van den Ende-Gupta Syndrome	SCARF2	Deletion	0	AR	Clear
von Willebrand's Disease, type 1	VWF	G>A	0	AD	Clear
von Willebrand's Disease, type 2	VWF	T>G	0	AR	Clear
von Willebrand's Disease, type 3 (Discovered in the Kooiker Hound)	VWF	G>A	0	AR	Clear
von Willebrand's Disease, type 3 (Discovered in the Scottish Terrier)	VWF	Deletion	0	AR	Clear
von Willebrand's Disease, type 3 (Discovered in the Shetland Sheepdog)	VWF	Deletion	0	AR	Clear
X-Linked Ectodermal Dysplasia	EDA	G>A	0	XR	Clear
X-Linked Hereditary Nephropathy (Discovered in the Navasota Dog)	COL4A5	Deletion	0	XR	Clear
X-Linked Hereditary Nephropathy (Discovered in the Samoyed)	COL4A5	G>T	0	XR	Clear
X-Linked Myotubular Myopathy	MTM1	C>A	0	XR	Clear
X-Linked Progressive Retinal Atrophy 1	RPGR	Deletion	0	XR	Clear
X-Linked Progressive Retinal Atrophy 2	RPGR	Deletion	0	XR	Clear
X-Linked Severe Combined Immunodeficiency (Discovered in the Basset Hound)	IL2RG	Deletion	0	XR	Clear
X-Linked Severe Combined Immunodeficiency (Discovered in the Cardigan Welsh Corgi)	IL2RG	Insertion	0	XR	Clear
X-Linked Tremors	PLP1	A>C	0	XR	Clear
Xanthinuria (Discovered in a mixed breed dog)	Confidential	-	0	AR	Clear
Xanthinuria (Discovered in the Cavalier King Charles Spaniel)	Confidential	-	0	AR	Clear
Xanthinuria (Discovered in the Toy Manchester Terrier)	Confidential	-	0	AR	Clear

Gretchen Gertie Lee

Optimal Selection™ powered by WISDOM PANEL™

Breed: Dachshund
Birth date: 2024-12-19

Registration number: AKR10504G26-1
Test date: 2026-08-09
ID kit: DJDXCWKRKD

Glossary of genetic terms

Test result definitions

At Risk: Based on the disorder's mode of inheritance, the dog inherited a number of genetic variant(s) which increases the dog's risk of being diagnosed with the associated disorder.

Carrier: The dog inherited one copy of a genetic variant when two copies are usually necessary to increase the dog's risk of being diagnosed with the associated disorder. While carriers are usually not at risk of clinical expression of the disorder, carriers of some complex variants may be associated with a low risk of developing the disorder.

Clear: The dog did not inherit the genetic variant(s) associated with the disorder and will not be at elevated risk of being diagnosed with the disorder due to this genotype. However, similar clinical signs could develop from different genetic or clinical causes.

Inconclusive: An inconclusive result indicates a confident call could not be made based on the data for that genetic variant. Health testing is performed in replicates, and on occasion the outcomes do not agree. This may occur due to an unusual sequence of DNA in the region tested, multiple cell genotypes present due to chimerism or acquired mutations, or due to quality of the DNA sample.

Inheritance mode definitions

Autosomal Recessive (AR): For autosomal recessive disorders, dogs with two copies of the genetic variant are at risk of developing the associated disorder. Dogs with one copy of the variant are considered carriers and are usually not at risk of developing the disorder. However, carriers of some complex variants grouped in this category may be associated with a low risk of developing the disorder. Dogs with one or two copies may pass the disorder-associated variant to their puppies if bred.

Autosomal Dominant (AD): For autosomal dominant disorders, dogs with one or two copies of the genetic variant are at risk of developing the associated disorder. Inheriting two copies of the variant may increase the risk of development of the disorder or cause the condition to be more severe. These dogs may pass the disorder-associated variant to their puppies if bred.

X-linked Recessive (XR): For X-linked recessive disorders, the genetic variant is found on the X chromosome. Female dogs must inherit two copies of the variant to be at risk of developing the condition, whereas male dogs only need one copy to be at risk. Males and females with any copies of the variant may pass the disorder-associated variant to their puppies if bred.

X-linked Dominant (XD): For X-linked dominant disorders, the genetic variant is found on the X chromosome. Both male and female dogs with one copy of the variant are at risk of developing the disorder. Females inheriting two copies of the variant may be at higher risk or show a more severe form of the disorder than with one copy. Males and females with any copies of the variant may pass the disorder-associated variant to their puppies if bred.

Mitochondrial (MT): Unlike the two copies of genomic DNA held in the nucleus, there are thousands of mitochondria in each cell of the body, and each holds its own mitochondrial DNA (mtDNA). Mitochondria are called the "powerhouses" of the cell. For a dog to be at risk for a mitochondrial disorder, it must inherit a certain ratio of mtDNA with the associated variant compared to normal mtDNA. mtDNA is inherited only from the mother.